

REIMANN

EMSDETTEN

Capillary matting



Fabrics for horticulture

A uniform and perfectly commanded irrigation is the basis for the optimized growing and sale of plants.



REIMANN - capillary matting



– specially developed for professional horticulture – offer ideal solutions not only for greenhouses and polytunnels but also for outdoor use. They form a pleasant microclimate, assure a better root building in the pot and reduce the risk of boytritis for the plants.

Most important are the capillarity and the durability of the matting!

Compound matting ▶

In order to facilitate the labour process with former three steps (PE-film, cap. matting, cover material on top to protect the matting) the established capillary matting **Florapol®** and **Vivapol®** have been continuously developed to the compound matting products **Floraplus®** and **Vivaplus®** offering lot's of advantages and comfort.

The advantages

- automatic irrigation
- enormous saving of time
- saving of water and additives
- ideal climate for the plants
- leaves and blossoms will not become wet

There's nothing more easy!

- makes your business easier
- longlasting
- not only for benches but also for cultivation on the ground

Quality will recompense you!


For growing of young plants, bed and bedding plants...

1 liter/m² water retention capacity




Florapol®

- capillary matting for growing with a reduced water retaining capacity
- very good and regular water dispersion
- longlasting
- very robust, no shrink
- easy to handle
- weight 100 g/m², white




Floraplus® 2

- **Florapol®** united with our UV stabilized ground cover **CONTEX®**
- for container / lava fields
- very good and uniform water dispersion
- longlasting, very robust, permeable
- widths up to 5.25 m
- weight 200 g/m², black with squares



Floraplus® 3

- **Florapol®** united with our UV stabilized ground cover **CONTEX®** and an impermeable film beneath
- very good and uniform water dispersion
- longlasting and very robust
- widths up to 2.20 m
- weight 300 g/m², black with squares



Vivaplus® is highly appreciated for sales areas in garden centres.


For growing and selling plants...

3 liters/m² water retention capacity



Vivapol®

- capillary matting with high capillarity
- very good and regular water dispersion
- longlasting
- very robust
- easy to handle
- weight 200 g/m², white



Vivaplus® 2

- Vivapol® united with our UV stabilized ground cover **CONTEX®** for container fields
- very good and uniform water dispersion
- longlasting, very robust, permeable
- widths up to 5.25 m
- easy to handle
- weight 300 g/m², black with squares



Vivaplus® 3

- Vivapol® united with our UV stabilized ground cover **CONTEX®** and an impermeable film beneath
- longlasting and very robust
- widths up to 2.20 m
- easy to handle
- weight 400 g/m², black with squares

Choose the right product for your individual requirements.

Make profit of the advantages of the **REIMANN** capillary matting range!

Spinnerei und Weberei GmbH
 Grevener Damm 227-231 - D - 48282 Emsdetten
 Tel.: +(49) 25 72 / 960 33-0 - Fax: +(49) 25 72 / 960 33-66
 www.reimann-emsdetten.de - contact: info@reimann-emsdetten.de



REIMANN capillary irrigation matting for professionals



Capillary matting	Water retention capacity in l/m ²	Weight in g/m ²	Roll lengths in m (Other lengths and widths on request)	Standard widths in cm
Florapol®	approx. 1	100 μ	100 / 200	11,5 / 100 / 125 / 150 160 / 180 / 200 / 220
Floraplus® 2-layer	approx. 1	200 μ	50	150 / 165 / 175 / 200 / 210 260 / 360 / 425 / 525
Floraplus® 3-layer	approx. 1	300 μ	50	150 / 165 / 200 / 210 / 220
Vivapol®	approx. 3	200 μ	50	100 / 120 / 125 150 / 200 / 220 / 400
Vivaplus® 2-layer	approx. 3	300 μ	50	98 / 125 / 165 200 / 210 / 400 / 525
Vivaplus® 3-layer	approx. 3	400 μ	50	150 / 165 / 200 / 220
STANDARD*	approx. 3	300 μ	50	11,5 / 100 / 120 / 125 / 150 160 / 180 / 200 / 220 / 250
STANDARD 400*	approx. 4	400 μ	50	100

Awarded!

* Recycled fibres

Cover materials To protect the matting against dirt and algae

AQUAFOL® black*		40 μ	50 / 100	11,5 / 100 / 125 / 150 / 166 180 / 200 / 220 / 250
AQUAFOL® white*		40 μ	50 / 100	100 / 125 / 150 200 / 220
AQUAFOL® symbol		40 μ	50 / 100	105 / 125 / 205

Microperforated film PE with positioning help, *with lines

CONTEX® 65		65 μ	100	110 / 130 / 135 / 160 175 / 190 / 210
-------------------	--	------	-----	--

Light weight PP fabric with high water permeability, suitable for ebb and flood benches as well, black

CONTEX® black		100 μ	100	100 / 125 / 150 / 165 / 205 262 / 330 / 425 / 525
CONTEX® white		100 μ	100	200 / 210 / 420 / 425 / 525

Long lasting PP ground cover, permeable, against algae and weed, with squares for easy positioning

Impermeable film

PE film black		100 μ	200	208
----------------------	--	-------	-----	-----

100 μ PE film for 200 cm benches

Other **REIMANN** products:

SHADING SCREENS AND ACCESSORIES
PLANT PROTECTION FABRICS